



Fixed Docking Unit Thuraya FDU-3500

THURAYA 
stay close



Satellite telephony for indoors

*With Thuraya's Fixed Docking Unit,
satellite telephony is no longer a
communication tool for the outdoors.*

Thuraya's Fixed Docking Unit is a home/office docking adapter that allows you to use Thuraya satellite mobile phones in indoor environments.



Easy to use

Thuraya FDU-3500 is designed as a state-of-the-art device that complements the Thuraya SO-2510 and Thuraya SG-2520 phones in features and function. The unit's functionality is simple and user friendly.

All you need to do is simply dock a Thuraya phone into the designated slot on the Thuraya FDU-3500 and you can start using the standard satellite based services such as voice, fax, data and other supplementary services (e.g. GmPRS) instantly. The power supply makes it possible to charge your Thuraya handset while being docked.



Benefits

- Easy to install and operate
- Compatible with Thuraya SO-2510 or Thuraya SG-2520
- Supports high-quality voice transmission via auxiliary handset, speakerphone or regular extension telephone
- Charges Thuraya SO-2510 and Thuraya SG-2520 handsets during docking
- Supports GmPRS services with USB port or DTE (downlink up to 60 kbps/uplink up to 15 kbps)
- Supports circuit switched data services at speeds up to 9.6 kbps
- Supports Group 3 analogue fax machines and PC fax at speeds up to 9.6 kbps
- Supports PABX connection



Primary coverage area



Extended coverage area


The map represents Thuraya's coverage area. Service availability within the extended coverage area may vary.

Thuraya Coverage Area



Specifications

| | |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>Dimensions</i> | 170 x 215mm |
| <i>Interfaces</i> | <ul style="list-style-type: none">• 3 x RJ11:<ul style="list-style-type: none">- External telephone connection (voice call)- External fax connection (fax call)- Auxiliary handset connection (voice call)• 1 x USB: PC connection (data call, fax call, GmPRS)• 1 x D-SUB (9-pin): External device connection and PC connection (data call, fax call, GmPRS)• 2 x SMA:<ul style="list-style-type: none">- Satellite antenna connection- GPS antenna connection |
| <i>Power</i> | <ul style="list-style-type: none">• Universal AC/DC power supply: 110 - 240V free voltage input• Input power DC 12V/24V/34V |
| <i>Package Contents</i> | <ul style="list-style-type: none">• Thuraya FDU-3500• User guide• Auxiliary handset• Universal power supply• Wall mounting adapter• Standard handset battery• USB cable• Utility CD• RJ11 cable• SAT antenna and cable (25m)• GPS antenna and cable (25m) |



Thuraya Customer Care Center
From Thuraya network: 100
From other networks: +88216 100 100
Fax: +971 6 8828444
Email: customer.care@thuraya.com
www.thuraya.com